

# INDEX TO VOLUME 69

- Abalone, 29
- Abundance
  - Great Lakes fishes, 33
  - halibut, 41
- Acetic acid
  - treatment for diseases, 96
- Acipenseridae
  - Acipenser fulvescens*, 63-84
- Adams, William C., 35-36
- Aeration
  - during transportation, 296-299
- Aeshna* sp., 252
- Age
  - cutthroat trout, 219
  - Lake Michigan fishes, 77-81
- Alabama
  - productivity, fish ponds, 101-105
- Alaska
  - Japanese fishery activities, 40-41
  - salmon fisheries, 29-31
- Alewife
  - as fish food, 24
- Algae, 253
  - control, 123-124
  - effect, copper sulfate, 145-146
- Alosa sapidissima*, 241
- Ameiuridae
  - Ameiurus melas*, 207, 241
  - Ameiurus natalis*, 102-104
  - Ameiurus nebulosus*, 205-209, 220, 241
  - Ictalurus punctatus*, 242
- Amendment to by-laws, 57
- American River
  - mining silt, 225-227
- Ammonium sulfate, 258-260
  - treatment for diseases, 96
- Amphibia
  - Rana catesbeiana*, 102
- Amphipoda, 195, 206-208
- Anax junius*, 250, 252, 254
- Andes Mountains, 279-284
- Angling
  - marine, 111-118
  - report, division of, 36-39
  - statistics, 125-131, 160, 189
- Anguillidae
  - Anguilla rostrata*, 143
- Anisoptera, 153, 195
- Annelida, 246, 254, 271
- Lumbricidae, 254
- Aphididae, 251
- Aphodius* sp., 248, 251
- Appendices, 303-329
- Aquatic biology and physics
  - report, division of, 28
- Aquatic insects (see insect orders)
- Araneae, 246, 247
  - Thomisidae, 247
- Archoplites interruptus*, 220
- Area
  - method of measurement, 232-233
- Argentina
  - fisheries, 279-284
- Argulus versicolor*
  - parasite, Esocidae, 271
- Arthropoda (see Crustacea and insect orders)
- Artificial propagation (see propagation)
- Asellus*, 207
- Asphyxiation
  - due to decreased oxygen, 197-204
- "Athlete's foot"
  - formalin treatment, 99
- Azygia angusticauda*
  - parasite, Esocidae, 270
- Back-swimmer, 122
- Bacterium salmonicida*, 100
- Bactridae, 250, 253
- Bait, 37
- Barracuda
  - statistics, 116-117
- Baskets
  - hatching salmon in, 132-134
- Bass
  - calico, 241
  - largemouth black, 102-104, 220, 241
  - 257, 278
    - parasite of, 169-175
  - marine rock
    - statistics, 116-117
  - smallmouth black, 241, 278
    - effect of rotenone, 149
    - parasite of, 169-175
    - propagation, 119-124
  - striped, 32, 35, 180, 241
  - warmouth, 241
  - white sea, 117
- Bay (see proper name)
- Beetle, 122, 207, 246-254
  - dytiscid, 122
  - tiger, 122
- Belding, David L., 285-289, 290-295
- Belle Isle Strait, 292-294
- Berrian, William, 135-140
- Bibionidae, 251
- Bideasus* sp., 248
- Big Spring Creek, 160-161
- Birds
  - fish-eating, 123
- Bjorn, Eugene E., 192-196
- Blake, C. M., (disc.) 140, 167
- Blasteus cupidus*, 248, 252
- Blasteus* sp., 247
- Bluegill, 102-104, 241
  - feeding habits, 244-256
  - production in ponds, 257-262
- Board of Inquiry
  - Great Lakes, 39-40
- Boar's Back Lake, 141-157
- Boats
  - charter, 112-114
- Bonito, 117
- Bonneville Dam, 242
- Bonnot, Paul, 263-267
- Boric acid
  - treatment for diseases, 99
- Bosmina*, 152, 248, 250, 253
- Bottom fauna
  - effect, copper sulphate, 143-144
  - effect, silt, 227
- Braconidae, 251
- Bream, bluegill, 102-104
  - production in ponds, 257-262
- Bristol Bay
  - glacial silt, 226
  - Japanese activities, 40
  - salmon fisheries, 30
- Brook (see proper name)
- Brown, Merrill W., 119-124
- Bryozoa, 207
- Bucephalus elegans*, 271
- Bullfrog, 102
- Bullhead, 220, 241
  - black, 207, 241
  - common
    - food and growth, 205-209
    - yellow, 102-104
- Buprestidae, 251
- Burbot
  - natural history, 192-196

- Burghdoff, A. E., 296-299  
 Burrows, Roger E., 94-100  
 Business sessions, 13-59  
 By-laws, 304-307  
   amendment, 57
- Cabezone, smooth, 180**  
 Cabot Strait, 290-294  
*Caenis simulans*, 250
- California  
   drag-net fishery, 106-110  
   pollution control, 90-93  
   sardine fisheries, 31
- Calomel  
   treatment for *Octomitus*, 27
- Campanotus herculeanus pennsylvanicus*, 249
- Campanotus pennsylvanicus*, 250
- Canada, Dominion of  
   Department of External Affairs, 39  
   sealing convention, 40
- Cancer magister*, 107
- Carabidae, 254
- Carassius auratus*, 257
- Carbohydrates, 260
- Carbon, organic, 260
- Carbon dioxide, 198-203
- Carl, G. Clifford, 132-134
- Carp, 220, 241  
   as fish food, 26-27  
   effects, decreased oxygen, 198-200  
   tagging, 63-84
- Catch  
   anglers', 125-131, 160, 189  
   per net, 110  
   per unit effort, 118
- Catfish  
   angling, 38  
   channel, 242  
   squaretail, 220
- Catostomidae  
   *Catostomus catostomus*, 214  
   *Catostomus commersonnii*, 149-150, 212-214  
   *Catostomus fecundus*, 176-177  
   *Catostomus snyderi*, 198-200  
   *Chasmistes cujus*, 222  
   *Catostomus* (see *Catostomidae*)
- Cayuga Lake, 205-209
- Celithemis elisa*, 254
- Census  
   cresol method, 231-236  
   electrical method, 210-215  
   stream, 231-236
- Centrarchidae  
   *Archopithecus interruptus*, 220  
   *Chenobryttus gulosus*, 241  
   *Huro salmoides*, 102-104, 169-177, 220, 241, 257  
   *Lepomis cyanellus*, 241  
   *Lepomis gibbosus*, 241  
   *Lepomis macrochirus*, 102-104, 241, 244-256, 257-262  
   *Micropterus dolomieu*, 149-169-177, 241  
   *Micropterus* spp., 257  
   *Pomoxis annularis*, 241, 257  
   *Pomoxis nigro-maculatus*, 241, 257
- Centrorrarius lobotes*, 271
- Ceratopogonidae, 247-250, 254
- Cercopidae, 251
- Ceriodaphnia*, 152
- Certificate of incorporation, 303
- Ceuthophilus maculatus*, 250-251
- Ceuthophilus meridionalis*, 254
- Chaenobryttus gulosus*, 241
- Chaleur Bay  
   races of salmon, 285-289
- Chaoborus punctipennis*, 248-250
- Chapman, Wilbert McLeod, 197-204
- Chasmistes cujus*, 222
- Chironomidae, 152  
   Chironominae, 247-250, 252, 254  
   *Chironomus*, 122, 206
- Chrysomelidae, 248, 251
- Chrysops*, sp., 250
- Chub  
   effects, decreased oxygen, 198-200  
   "lake," effect of rotenone, 149-150  
   lake, tagging of, 63-84  
   Utah lake, 176
- Chute, Walter H., 43-44
- Cicadellidae, 253
- Cladocera, 206-208
- Clark, G. H., 106-110
- Clupeidae  
   *Alosa sapidissima*, 241
- Cod  
   introduction, 280  
   Pacific cultus, 107
- Cod liver oil  
   as fish food, 26  
   for insect control, 122
- Coleoptera, 207, 246-254
- Aphodius* sp., 248, 251
- Bidessus* sp., 248
- Buprestidae, 251
- Carabidae, 254
- Chrysomelidae, 248, 251
- Coptotomus* sp., 248
- Curculionidae, 251
- Dytiscidae, 122, 247-252
- Elaterridae, 247
- Gyrinidae, 247-252
- Haliphs* sp., 248, 250
- Hydrophilidae, 251
- Scarabaeidae, 247, 251, 253
- Staphylinidae, 251, 253
- Tenebrionidae, 251
- Collection  
   cresol method, 231-236  
   electrical method, 210-215  
   oyster spat, 263-267
- Colpidium, 180
- Commercial fishing  
   report, division, 28-35
- Commission  
   International Halibut, 30, 34  
   International Pacific Salmon, 30, 41-43
- Committee  
   American Fish Policy, 50  
   appointment of, 51  
   auditing, report, 51  
   common and scientific names, report, 43-44  
   foreign relations, report, 39-43  
   membership of, 4-5  
   nominations, report, 57-58  
   pollution study, report, 49-50  
   publications, report, 44-48  
   resolutions, report, 52-53  
   standing, reports, 39-48  
   special, reports, 49-51  
   time and place, report, 53-57  
   U. S. National Resources, 90
- Common names  
   report, committee, 43-44
- Conseil Permanent International pour l'Exploration de la Mer, 28-29
- Constitution and by-laws, 304-307
- Convict Creek, 163
- Copepoda, 206-208
- Copper sulfate  
   fish poison, 141-157  
   toxicity, 142-146

- Coptotomus* sp., 248  
 Coregonidae  
   *Coregonus clupeaformis*, 63-84, 280  
   *Leucichthys arcti*, 63-84  
   *Leucichthys* spp., 63-84  
   *Prosopium quadrilaterale*, 63-84  
   *Prosopium williamsoni*, 241  
 Corethra, 152  
 Corixidae, 247-252  
*Corophium spinicorne*, 180-186  
 Correntoso Lake, 282  
 Correntoso River, 282  
 Cost  
   trout rearing, 88-89  
 Cottidae  
   *Cottus asper*, 180  
   *Cottus cognatus*, 212-214  
   *Leptocottus armatus*, 180  
 Cottonseed meal  
   as fish food, 24  
*Cottus* (see Cottidae)  
*Couesius plumbeus*  
   effect of rotenone, 149-150  
 Council of State Governments, 36, 39  
 Crab  
   Japanese cannery ship, 40  
   market, 107  
 Crappie, 257  
   black, 241  
   white, 241  
*Crassiphalus bulboglossa*, 271  
 Creek (see proper name)  
 Creel census, 189-190  
 Cresol  
   concentration for census work, 233-234  
   method of census, 231-236  
*Cristivomer namaycush*, 63-84, 220, 241, 280  
 Croker, Richard S., 111-118  
 Crustacea, 206-208, 246-255  
   Amphipoda, 195, 206-208  
   *Argulus versicolor*, 271  
   *Aeolus*, 207  
   *Bosmina*, 152, 248, 250, 253  
   *Cancer magister*, 107  
   *Ceriodaphnia*, 152  
   *Corophium spinicorne*, 180-186  
   *Cyclops*, 152  
   *Daphnia*, 121-122, 152  
   *Diaphanosoma*, 152  
   *Diaptomus*, 152, 247-250, 253  
   effect of copper sulfate, 143-145  
   *Epiplatys*, 152  
   *Eosphaeroma oregonensis*, 180-186  
   *Gammarus conferricolis*, 180-186  
   *Holopedium*, 152  
   *Hyalella knickerbockeri*, 152, 247-250, 254  
   *Mesocyclops obsoletus*, 143  
   *Moina*, 122  
   *Neomysis mercedis*, 180  
   *Oxyurella*, 152  
   *Polypheumus*, 152  
 Cubé root  
   fish poison, 141-157  
 Cui-ai, 222  
 Curculionidae, 251  
 Curtis, Brian, 125-131. (disc.) 284  
*Cyclochaeta*, 94-100, 169  
*Cyclops*, 152  
 Cyprinidae  
   *Carassius auratus*, 257  
   *Couesius plumbeus*, 149-150  
   *Cyprinus carpio*, 63-84, 198-200, 220, 241  
   *Ergasilus maxillingua*, 214  
   *Hyborhynchus notatus*, 273-275  
   *Mylocheilus caurinus*, 198-200  
   *Notemigonus crysoleucas*, 102-104, 169, 257, 273-275  
   *Notropis amoenus*, 273-275  
   *Notropis c. cornutus*, 214  
   *Notropis heterolepis*, 214  
   *Notropis hudsonius*, 273-275  
   *Pimephales promelas*, 273-275  
   *Ptychocheilus oregonensis*, 198-200  
   *Rhinichthys a. atratulus*, 212-214  
   *Rhinichthys catractae*, 212-214  
   *Semotilus a. atromaculatus*, 212-213  
 Cyprinodontidae  
   *Fundulus diaphanus*, 143  
 Cyst  
   *Neascus*, 276-278  
 Dace  
   black-nosed, 212-214  
   dusky, 176  
   horned, 212-213  
   long-nosed, 212-214  
*Dactylogyrus*, 97  
 Dam (see proper name)  
 Dams  
   effect on spawning grounds and activities, 30  
 Damselflies (see Odonata)  
 Damselfly nymphs, 195  
*Daphnia*, 152  
   culture, 121-122  
 Darter  
   fan-tailed, 214  
 Davis, H. S., 158-168  
 Davis, Herbert C., (disc.) 55-57  
 Deason, Hilary J., 28-35  
 Deceased members, 20, 52, 60  
*Deguelia elliptica*, 148  
 Denmead, Talbott, 49-50  
 Depletion  
   commercial fishes, 28-35  
   Pyramid Lake fishery, 216-224  
 Derris powder  
   fish poison, 141-157  
*Diaphanosoma*, 152  
*Diaptomus*, 152, 247-250, 253  
 Diets, 23-26  
 Dipping  
   treatment for diseases, 94-95  
 Diptera, 195, 207, 246-254  
 Bibionidae, 251  
 Ceratopogonidae, 247-250, 254  
*Chaoborus punctipennis*, 248, 250  
 Chironominae, 247-250, 252, 254  
*Chrysops* sp., 250  
 Dolichopodidae, 248  
 Empididae, 248  
*Limnochironomus modestus*, 249  
*Simulium*, 185  
 Stratiomyidae, 247, 250  
 Tachinidae, 251  
 Tanypodinae, 247-248  
 Diseases  
   control in hatcheries, 94-100  
 Disinfectants  
   cost of, 97-98  
   hatchery, 94-100  
   to kill parasites, 175  
 Distribution  
   exotic fish, 240-243  
   with trucks, 296-299  
 Diversions, 220-221  
 Dobson-fly larvae, 37  
 Dolichopodidae, 248  
 Donaldson, Lauren R., 28  
 Dorosomidae  
   *Dorosoma cepedianum*, 257  
 Dragonflies (see Odonata)

Dragonfly nymphs, 195

Dytiscidae, 247-252

*Dytiscus*, 122

## Editing

instructions, 326-329

## Education

in use of fishery products, 35

Eel, 143

effect of rotenone, 149

Eel pout

natural history, 192-196

## Efficiency

natural spawning, 239

## Eggs

deposition, 238

eaten by suckers, 176-177

effect of silt, 228

per fish, 136, 190, 193-194, 238, 286-

287

per ounce, 136

percentage hatch, 238

salmon, 285-289

Egret, California, 123

Elateridae, 247

Electrical census method, 210-215

Emboly, Daniel R., 231-236

Emboly, George O. (resolution), 52; (in memoriam), 60; (footnote), 231

Empididae, 248

*Enallagma hageni*, 248, 250

*Enallagma* spp., 247, 250, 253

*Enicocephalidae*, 248

## Environment

adjustment to, 164

*Eopsetta jordani*, 107

*Ephemera* (see Ephemeroptera)

*Ephemerella* (see Ephemeroptera)

Ephemeroptera, 195, 207, 246-253

*Baetidae*, 250, 253

*Blasturus cupidus*, 248, 252

*Blasturus* sp., 247

*Caenis simulans*, 250

*Ephemera simulans*, 247-253

*Ephemerella bicolor*, 250

*Hexagenia occulta*, 252

*Paraleptophlebia* sp., 252-253

*Stenonema tripunctatum*, 252

*Tricorythodes allecatus*, 250

*Epiachura*, 152

Erie, Lake

tagging fish, 64

## Escapement

commercial nets, 108-110

## Esocidae

*Esox americanus*, 268-272

*Esox lucius*, 268-272

*Esox niger*, 268-272

Espejo, Lake, 282

## Ethostomidae

*Catostomus f. flabellaris*, 214

*Euclyptobius newberryi*, 180

*Euplates*, 180

## Evaporation

fish ponds, 101

*Exoglossum macilligua*, 214

*Exosphaeroma oregonensis*, 180-186

Exotic species, 220, 279-284

## Experiments

fertilization, 102-104, 257-262

tagging, 63-84

*Trichodina* infections, 94-100

"Factor H," 26

## Feeding

artificial, 23-26

## Feeding habits

common bullhead, 205-209

grayling and bluegill, 244-256

ling or burbot, 195

rosyside sucker, 176-177

## Fertility

trout eggs, 159

## Fertilization

ponds, 102-103

effect, 257-262

## Filaments, gill

parasite on, 170-171

Fish (see under common and family names)

## Fish culture

report, division, 23-28

Fish feeding, 23-26

Fish, Frederic F., 85-89, 94-100, (disc.)

139

Fish Lake (Oregon), 162

## Fisheries

commercial, management, 33-34

drag-net, 106-110

North Pacific, resolution, 52

Pyramid Lake, 216-224

Fishing Advisory Committee, 43

## Fishing

commercial, report, division of, 38-35

gear, commercial, 106-110

Fishway, 219

## Floods

effect on spawning, 238

## Flounder

fisheries, 32

starry, 180

## Food of fish

availability and consumption, 178-187

common bullhead, 205-209

effect of silt, 227

grayling and bluegill, 244-256

ling or burbot, 195

rosyside sucker, 176-177

Forage fishes, 176-177

Ford Lake, 244-256

## Foreign relations

report, committee, 39-43

## Formalin

treatment for trichodiniasis, 94-100

treatment of "athlete's foot," 99

Formicidae, 248, 251

Foster, Fred J., 18-19, (disc.) 47, 50

Fraser River Salmon Convention, 41-43

## Fry

effects decreased oxygen, 200-202

enumeration, 237-238

experimental hatching, 132-134, 135-

140

planted in Pyramid Lake, 220

*Fundulus diaphanus*, 143

## Fungus

on ling eggs, 195

Furnace Brook, 160

## Furunculosis

treatment of, 27

## Gadidae

*Gadus morhua*, 280

*Lota maculosa*, 63-84, 192-196

*Gambusia* sp., 104

*Gammarus conferricollis*, 180-186

## Gasoline

in insect control, 122

Gaspé, 294

## Gasterosteidae

*Gasterosteus aculeatus*, 180

*Pungitius pungitius*, 149

George Washington National Forest, 161

Gerridae, 248

## Gills

irritation of, 27

- Glossatella*, 170  
 Gobiidae  
*Eucylogobius newberryi*, 180  
 Goby, 180  
 Golden shiner, 169  
 Goldfish, 257  
*Gomphus exilis*, 251, 254  
 Gordon, Seth, 20-22, (disc.) 47-48  
 Gravel  
   salmon hatching, 132-134  
 Grayling, Montana, 176  
   feeding habits, 244-256  
 Great Lakes  
   Board of Inquiry, 39-40  
   fisheries, 33  
   international control, 39-40  
   potential sport fisheries, 37  
 Green Bay  
   tagging of fish, 64  
 Griffiths, Francis P., 240-243, (disc.) 99  
 Growth  
   common bullhead, 205-209  
   lake trout, 77-81  
   rainbow trout, 77-81  
   sturgeon, 77-81  
   whitefish, 77-81  
 Guests  
   at meeting, 16-17  
 Guillelmo River, 283  
 Gulf (see proper name)  
 Gutermuth, C. R., 36-39  
 Gutierrez River, 282  
 Gyrinidae, 247-252  
*Gyrodactylus*, 97  
**Haddock**  
   fisheries, 32  
 Halibut  
   fisheries, 30, 41  
   International Commission, 30, 34  
   Pacific, 117  
*Haliphus* sp., 248, 250  
 Haskell, David C., 210-215  
 Hatchery  
   diseases, 27, 99-100, 123, 169-177,  
     273-278  
   disinfectant, 94-100  
   loss of fish, 86-87  
   sterilization of troughs, 27  
 Hatton, S. Ross, 106-110  
*Hedusa tiana*, 271  
*Heliosoma* sp., 252-254  
 Helgrammite, 37  
 Hemiptera, 207, 246-253  
   Corixidae, 247-252  
   Enicocephalidae, 248  
   Gerridae, 248  
   Miridae, 253  
   *Notonecta undulata*, 251  
   Notonectidae, 248, 250  
 Heron  
   Anthony's green, 123  
   black-crested night, 123  
 Herring  
   lake, 63-84  
   tagging of, 63-84  
   Pacific, 31  
*Hexagenia aeculata*, 252  
 Hippoglossidae  
   *Eopsetta jordani*, 107  
 Hirudinea, 152  
   *Macrobella decora*, 143  
 Hoffmaster, P. J., (disc.) 54, 56  
*Holpedium*, 152  
 Homoptera, 246-253  
   Aphididae, 251  
   Cercopidae, 251  
   Cicadellidae, 253  
 Hooper Foundation for Medical Research, 92  
 Hoover, Earl E. (resolution), 52; (in memoriam), 60  
 Humboldt Bay  
   oyster culture, 264-267  
 Hunter, George W., 111, 268-272  
 Hunter, Russell P., (disc.) 99, 297  
*Huro salmoides*, 102-104, 169-177, 220, 241, 257  
*Hyalella*, 188, 207  
*Hyalella knickerbockeri*, 152, 247-250, 254  
*Hyborthynchus notatus*, 273-275  
 Hydracarina, 246-254  
 Hydrachnidae, 254  
 Hydrophilidae, 251  
 Hymenoptera, 246-251  
   Braconidae, 251  
   *Camponotus herculeanus pennsylvanicus*, 249  
   *Camponotus pennsylvanicus*, 250  
   Cynipidae, 253  
   Formicidae, 248, 251  
   Ichneumonidae, 251  
   Tenthredinidae, 247  
   Vespidae, 251  
**Ichneumonidae**, 251  
*Ichthyophthirius*, 99-100, 123  
*Ictalurus punctatus*, 242  
 Insecta (see orders)  
 Inspection  
   fishery products, 35  
 Instructions  
   preparation of manuscripts, 326-329  
 International  
   control, Great Lakes fisheries, 39-40  
   Council, 28-29  
   Fisheries Commission, 41  
   Halibut Commission, 30, 34  
   Pacific Salmon Commission, 30, 41-43  
 Introduction  
   exotic fish, 119, 240-243, 279-284  
 Invertebrates, aquatic  
   effect of copper sulfate, 143-144  
 Investments, 22  
 Irrigation diversions  
   effect, spawning activities, 30  
 Isopoda, 206-208  
**Jackson, Charles E.**, 39-43  
 Jackson Lake, 176-177  
 Japanese  
   fisheries in Alaska, 40-41  
   floating crab cannery, 40  
 Jesse Lake, 141-157  
**Kell, W. M.** (resolution), 52; (in memoriam) 60  
 Kendall, William C. (resolution), 52; (in memoriam), 60  
 Killifish, 143  
 Klak, George E., 273-278  
 Klamath River  
   effect of silt, 229  
**Ladder, fish**, 219  
*Ladona julia*, 254  
 Lake (see proper name)  
 Langlois, T. H., (disc.) 55, 57  
 Lawyer  
   natural history, 192-196  
   tagging, 63-84  
 Leach, Glen C., (disc.) 166, 298-299  
 Leech, 188  
   unaffected by copper sulfate, 143  
 Legislation and protection  
   report, division, 35-36

- Leonard, Justin W., 244-256  
*Lepomis cyanellus*, 241  
*Lepomis gibbosus*, 241  
*Lepomis macrochirus*, 102, 104, 241, 244-256, 257-262  
*Leptocottus armatus*, 180  
*Leptorhynchoides thecatus*, 270-271  
Lesions  
caused by parasites, 273-275  
*Leucichthys atedi*, 63-84  
*Leucichthys* spp., 63-84  
Libellulidae, 250-252  
Limay River, 282  
*Limnaea*, 188  
*Limnochironomus modestus*, 249  
Ling  
natural history, 192-196  
Liver  
as fish food, 23-26  
Locustidae, 251  
*Lonechocarpus nicou*, 48  
Lonergan pollution bill, 149  
*Lota maculosa*, 63-84, 192-196  
Lumbricidae, 254
- McClinton Creek**  
runs of pink salmon, 237-238  
McCloud, George, (disc.) 167  
MacKay, H. H., 23-28, (disc.) 166
- Mackerel**  
fisheries, 32  
statistics, 116-117  
*Macrhabdella decora*, 143  
*Macrodoroides flavus*, 270-271  
Management  
commercial fisheries, 33-34  
trout waters, 158-168  
Manistee Rivers  
tagging fish, 64  
Manuscripts  
instructions for preparing, 326-329  
Markets  
supervision recommended, 35  
Marlin, 117  
*Marsilea quadrifolia*, 205  
Mash, laying, 258-260  
Mayfly (see Ephemeroptera)  
Meal  
beef and pork, 24-25  
cottonseed, 25, 258-260  
fish, 24-26  
soybean, 24  
Meetings  
years and localities, 6-7  
Members  
deceased, 20, 52, 60  
in attendance, 15-16  
list of, 304-325  
Mexico, President of, 57  
Michigan, Lake  
tagging fish, 63-84  
*Microphallus oratus*, 271  
*Micropterus dolomieu*, 149, 169-177, 241  
*Micropterus* spp., 257  
Migration  
Atlantic salmon, 290-295  
Lake Michigan fishes, 63-84  
marine fishes, 30-32  
pink salmon, 237-238  
season, 293  
Milk powder  
as fish food, 24  
Mining placer  
effect of silting produced, 225-230  
Minnow  
attractive, parasite of, 273-275  
black-head, parasite of, 273-275  
black-nosed, 214  
blunt-nosed, parasite of, 273-275  
cut-lips, 214  
silver side, 176  
spot-tailed, parasite of, 273-275  
Miramichi River  
races of salmon, 285-289  
Miridae, 253  
Mollusca, 195, 246, 250-254  
Abalone, 29  
effect, copper sulphate, 143  
Gastropoda, 152  
*Helisoma* sp., 252-254  
*Musculium* sp., 254  
*Ostrea gigas*, 263-267  
*Ostrea lurida*, 263-267  
*Ostrea virginica*, 263-267  
*Physa*, 188, 250, 252  
*Pisidium* sp., 250  
Sphaeriidae, 152  
Moronidae  
*Morone americana*, 143  
*Roccus lineatus*, 180  
*Roccus saxatilis*, 241  
Mortality  
induced by copper sulfate and rotenone, 141-157  
induced by parasites, 169-177, 273-275  
salmon eggs, 133-134, 138-139  
Mottley, C. McC., 187-191  
Mountains (see proper name)  
Mundt pollution bill, 49-50  
resolution endorsing, 52  
*Musculium* sp., 254  
*Mylocheilus caurinus*, 198-200
- Nahuel Huapi, Lake, 282**  
*Neascus*, 273-278  
Needham, Paul R., 178-187  
*Neoechinorhynchus cylindratulus*, 271  
*Neoechinorhynchus tenellus*, 271  
*Neomysis mercedis*, 180  
Nets  
commercial, 106-110  
gill, mesh size, 33  
selectivity, 106-110  
Nitrogen, organic, 260  
North American Council, 43  
North Pacific fishery  
resolution, 52  
North Sea fisheries, 28-29  
*Notemigonus crysoleucas*, 102-104, 169, 257, 273-275  
*Notonecta*, 122  
*Notonecta undulata*, 251  
Notonectidae, 248, 250  
*Notropis anogenus*, 273-275  
*Notropis heterolepis*, 214  
*Notropis hudsonius*, 273-275  
*Nymphozanthus advena*, 205
- Octomitus**  
treated with calomel, 27  
Odonata, 207, 246-254  
*Aeshna* sp., 252  
*Anax junius*, 250, 252, 254  
*Celithemis elisa*, 254  
*Enallagma hageni*, 248, 250  
*Enallagma* spp., 247, 250, 253  
*Gomphus exilis*, 251, 254  
*Ladona julia*, 254  
Libellulidae, 250-252  
*Tetragoneuria cynosura simulans*, 254  
*Tetragoneuria* sp., 247-250  
*Oecetis inconspicua*, 249-250

- Officers  
 list of, 3  
 reports of, 20-39
- Oligochaeta, 153
- Oncorhynchus gorbusha*, 237-239
- Oncorhynchus kisutch*, 135-140, 180, 201-202, 220, 241, 280
- Oncorhynchus nerka*, 132-134, 197-204, 241, 280
- Oncorhynchus tshawytscha*, 197-204, 241, 220, 280, 285
- Ontario, Lake  
 tagging fish, 64
- Ophiodontidae  
*Ophiodon elongatus*, 107
- Oregon  
 introduction exotic fish, 240-243
- Orthoptera, 246-254
- Ceuthophilus maculatus*, 250-251
- Ceuthophilus meridionalis*, 254
- Locustidae, 251
- Ostracoda, 206-208
- Ostrea gigas*, 263-267
- Ostrea lurida*, 263-267
- Ostrea virginica*, 263-267
- Oxygen  
 deficient, effects, 197-204  
 in fish transportation, 297
- Oxytricha*, 180
- Oryzella*, 152
- Oyster  
 spat collection, 263-267
- Pacific Sealing Convention, North, 40
- Paralabrax clathratus*, 116-117
- Paralabrax nebulifer*, 116-117
- Paraleptophlebia* sp., 252-253
- Parasites  
 control, 94-100  
 of Esocidae, 268-272  
 of minnows, 273-278  
 protozoan, of black basses, 169-177
- Paraphryx retulus*, 107, 109
- Parvin, R. G., (disc.) 223
- Paul Lake  
 rainbow trout, 187-191
- Perca flavescens*, 63-84, 142-143, 241
- Perch, Sacramento, 220  
 white, 142-143  
 yellow, 241  
 effect, copper sulfate, 142-143  
 tagging of, 63-84
- Percidae  
*Perca flavescens*, 63-84, 142-143, 241
- Photosynthesis, 260
- Phryganeidae, 254
- Phyllodistomum superbum*, 271
- Phyxa* sp., 250, 252
- Phytoplankton  
 effect, copper sulfate, 145  
 production in ponds, 257-262
- Pickrel  
 parasites, 268-272
- Pike, northern  
 parasites, 268-272
- Pilchard fisheries, 31
- Pilot  
 tagging of, 63-84
- Pimephales promelas*, 273-275
- Pisidium* sp., 250
- Pituitary hormone  
 hastens spawning, 27-28
- Plagiocircus primus*, 271
- Planaria*, 152
- Plankton  
 effect of copper sulfate, 145  
 effect of rotenone, 152-153  
 production in ponds, 257-262
- Platichthys stellatus*, 180
- Plecoptera, 195
- Pleuronectidae  
*Paraphryx retulus*, 107, 108  
*Platichthys stellatus*, 180
- Pleuronema*, 180
- Pneumatophorus diego*, 116-117
- Pocotopaug, Lake  
 parasites of fish, 268-272
- Poeciliidae  
*Gambusia*, sp., 104
- Pollution, 220  
 control in California, 90-93  
 expenditures by industries, 92  
 report, Committee, 49-50
- Polycentropidae, 250
- Polyphemus*, 152
- Pomolobus pseudoharengus*, 24
- Pomoxis annularis*, 241, 257
- Pomoxis nigro-maculatus*, 241, 257
- Pomphorhynchus bulbocollis*, 271
- Ponds  
 club-operated, 36  
 construction, 101-102, 119-120  
 fertilization, 102-103, 257-262  
 productivity, 119-120  
 sterilization, 27
- Pondweed, 205
- Population  
 method of estimation, 231-236  
 study, 210-215
- Port-aux-Basques, 292-293
- Potamogeton*, 205
- Predators, 238
- President  
 opening address, 18-19  
 past, list of, 6-7
- Pritchard, Andrew L., 237-239, (disc.) 140
- Production  
 rainbow trout, 187-191
- Productivity  
 bottom fauna, 178-186  
 fish ponds, 101-105  
 per acre, 103-104
- Propagation  
 evaluation, 85-89  
 ling or burbot, 194-195  
 oysters, 263-267  
 ponds, 101-105  
 salmon, pink, 237-239  
 smallmouth black bass, 119-124  
 trout, 158-168
- Procerodon*, 180
- Prosopium quadrilaterale*, 63-84
- Prosopium williamsoni*, 241
- Protection and legislation  
 report, division, 35-36
- Protocephalus ambloplitis*, 270
- Protocephalus pinquius*, 270
- Protozoa, ciliate  
*Colpidium*, 180  
*Euplates*, 180  
*Oxytricha*, 180  
*Pleuronema*, 180  
*Procerodon*, 180  
*Spirontomum*, 180
- Protozoa, parasitic  
*Cyclochaeta*, 94-100  
*Dactylogyrus*, 97  
*Glossatella*, 170  
*Gyrodactylus*, 97  
*Ichthyophthirius*, 99-100, 103  
*Syphidia amoeba*, 170  
*Syphidia micropteri*, 169-171  
*Trichodina*, 94-100  
*Trichodina renicola*, 269-270  
*Vorticella*, 170
- Pseudophyllidea*, 271

- Psocoptera  
 Psocidae, 253  
*Ptychocheilus oregonensis*, 198-200  
 Publications  
   report, committee, 44-48  
*Pungitius pungitius*, 149  
 Pyloric appendages, 285-289  
 Pyramid Lake  
   fisheries, 216-224
- Queen Charlotte Islands, 237**  
 Quinn, I. T., (disc.) 50
- Races**  
   Atlantic salmon, 285-289  
 Radnor Lake, 169  
*Rana catesbeiana*, 102  
 Raney, Edward C., 205-209  
 Rankin, J. Stewart, Jr., 268-272  
 Rate of flow  
   seasonal variation, 179  
 Rays, 117  
 Rearing  
   cost, 88-89  
 Recirculation of formalin, 94-100  
 Regulations  
   diversity and non-enforcement, 33-34  
 Resources Committee, National, 90  
 Respiration  
   oxygen requirements, 197-204  
*Rhinichthys a. atratulus*, 212-214  
*Rhinichthys cataractae*, 212-214  
 River (see proper name)  
*Roccus lineatus*, 180  
*Roccus saxatilis*, 241  
 Rockfish, 107  
   statistics, 116-117  
 Rotenone  
   effect on fish, 148-152  
   fish poison, 141-157  
   method of application, 154-155  
   toxicity, 148-150
- St. Clair, Lake**  
   tagged sturgeon, 64  
**St. Lawrence, Gulf of**  
   races of salmon, 285-289  
   migration of salmon, 290-295  
**St. Marys River, 161**  
**St. Paul River, 295**  
*Salmo* (see Salmonidae)  
**Salmon**  
   Atlantic  
   eggs and pyloric appendages, 285-289  
   introduction, 280  
   migration, 290-295  
   chinook, 220, 241  
   effects, decreased oxygen, 197-204  
   coho  
   hatching experiments, 132-134  
   landlocked, 280  
   Pacific, 117  
   fisheries, 29-31  
   pink  
   propagation, 237-239  
   quinnat, 280  
   silver, 180, 220, 241  
   effects, decreased oxygen, 201-202  
   egg production, 136  
   hatching experiments, 134-140  
   introduction, 280  
   sockeye, 241  
   effects, decreased oxygen, 197-204  
   introduction, 280  
   tagging experiments, 42
- Salmon Commission, International Pacific, 30, 41-42  
 Salmon Convention, Fraser River, 41-43  
 Salmonidae  
   *Cristivomer namaycush*, 63-84, 220, 241, 280  
   *Oncorhynchus gorbusha*, 237-239  
   *Oncorhynchus kisutch*, 135-140, 180, 201-202, 220, 241, 280  
   *Oncorhynchus nerka*, 132-134, 197-204, 241, 280  
   *Oncorhynchus tshawytscha*, 197-204, 220, 241, 280  
   *Salmo c. clarkii*, 241  
   *Salmo clarkii lewisi*, 283  
   *Salmo fario*, 212-213, 280  
   *Salmo gairdnerii*, 135, 137, 180, 187-191  
   *Salmo g. gairdnerii*, 241  
   *Salmo gairdnerii irideus*, 63-84, 87, 280  
   *Salmo henshawi*, 216-224  
   *Salmo irideus*, 220  
   *Salmo kamloops*, 188  
   *Salmo salar*, 280, 285-289, 290-295  
   *Salmo salar sebago*, 280  
   *Salmo trutta*, 220, 241  
   *Salvelinus f. fontinalis*, 87, 148-152, 212-214, 220, 241  
   *Salvelinus malma spectabilis*, 241
- Salt**  
   treatment, 94-98  
**Salt-water tackle**  
   for catfish, 38-39  
*Salvelinus f. fontinalis*, 87, 148-152, 212-214, 220, 241  
*Salvelinus malma spectabilis*, 241  
**Sampler**  
   Ekman, 180  
   square-foot, 180-181  
 Scarabaeidae, 247, 251, 253  
 Scientific names  
   report, committee, 43-44  
 Scombridae  
   *Pneumatophorus diego*, 116-117  
 Scorpaenidae  
   *Sebastes* sp., 107, 116-117  
 Screen, rotary, 220  
 Scuds, 195  
 Sculpin, 180, 212-214  
*Scyphidia amoeba*, 170  
*Scyphidia micropteri*, 169-177  
 Sealing Convention, North Pacific, 40  
*Sebastes* sp., 107, 116-117  
 Secretary-Treasurer,  
   report, 20-22  
 Seepage  
   fish ponds, 101  
 Selectivity  
   drag nets, 106-110  
*Semotilus a. atromaculatus*, 212-213  
 Sericostomatidae, 248-250-253  
 Seriolidae  
   *Seriola dorsalis*, 116-117  
 Sestonosis, 27  
 Shad, 241  
   Atlantic, 31  
   gizzard, 257  
 Shapovalov, Leo, 135-140, (disc.) 89, 223-224, 284  
 Sharks, 107, 117  
 Shaw, Paul A., 90-93, (disc.) 298  
 Shawhan, H. W., (disc.) 55  
 Shiner  
   common, 214  
   golden, 102-104, 257  
   parasite of, 273-275



- Silt  
effect on bottom fauna, 227  
effect on salmon and trout, 225-230  
placer mining, 225-230
- Simpson, James C., 176-177
- Skates, 107
- Slag, basic, 258-260
- Smith, E. V., 101-105, 257-262
- Smith, Lester, 63 (footnote)
- Smith, M. W., 141-157
- Smith, Oliver H., 63-84
- Smith, Osgood R., 225-230, (disc.) 223-224
- Snails, 195
- Snakes, water, 123
- Sodium arsenite, 124  
benzoate, 95-96  
nitrate, 102  
p-phenolsulphonate  
treatment for diseases, 95-96
- Sole  
pointed-nosed, 107, 109  
round-nosed, 107
- Soybean meal  
as fish food, 24
- Spat, oyster  
methods of collecting, 263-267
- Spatterdock, 205
- Spawning  
grounds  
in silted streams, 226  
investigation of, 30-32  
run, 189-190  
season  
common bullhead, 205  
ling or burbot, 193-194
- Sphyraenidae  
*Sphyraena argentea*, 116-117  
*Spinitectus gracilis*, 271
- Spirostomus*, 180
- Spiruridae, 270
- Squaw Creek, 161
- Squawfish  
effects, decreased oxygen, 198-200
- Staphylinidae, 251, 253
- State Governments, Council of, 36, 39
- Statistics  
angling, 111-118, 125-131, 160, 189  
*Stenonema tripunctatum*, 252
- Stickleback  
common, 180  
effect of rotenone, 149
- Stocking policy, 188-190  
results, 159-162
- Stonedfly nymphs, 195
- Strait (see proper name)
- Stratiomyidae, 247, 250
- Stream  
census, 231-236  
cresol census, 231-236  
electrical census, 210-215  
measurement of width, 232-233
- Sturgeon  
growth, 77-81  
tagging, 63-84
- Sucker  
common, 149-150, 212-214  
fine-scaled, 214  
rosy-side, 176-177  
small-scaled, 198-200
- Suffocation  
caused by poisons, 142-150, 231-236
- Sumner, Francis H., 216-224
- Sunfish  
bluegill, 102-104, 241, 244-256, 257-262  
green, 241  
pumpkinseed, 241
- Surber, Eugene W., 169-177
- Swingle, H. S., 101-105, 257-262
- Tachinidae, 251**
- Tadpoles, 122
- Tagging of fish, 30-32
- Atlantic salmon, 290-295  
Lake Erie, 64  
Lake Michigan, 63-84  
Lake Ontario, 64  
sockeye salmon, 42
- Tags  
lost by fish, 67
- Tanypodinae, 247-248
- Tedford Lake, 141-157
- Temperature, 282  
relation to egg development, 137-138  
relation to Ichthyophthirius, 99-100
- Tenebrionidae, 251
- Tenthredinidae, 247
- Tern  
Foster, 123
- Tetragoneuria cynosura simulans*, 254
- Tetragoneuria* sp., 247-250
- Tetraonchus monenteron*, 271
- Thomisidae, 247
- Thompson, Fred A., 279-284
- Thymallidae  
*Thymallus montanus*, 244-256
- Togue River  
mining silt, 227
- Toleration  
deficient oxygen, 197-204
- Toronto, Ontario  
1940 meeting, 57
- Toxicity  
derris, 141-157  
formalin, 96
- Trafal Lake, 282
- Trafal River, 282
- Trawls, commercial, 106-110
- Treasurer,  
report, 20-22
- Treatment  
hatchery diseases, 94-100  
parasites, 175
- Treaty  
proposed between Canada and U. S.,  
36, 39
- Trefry's Lake, 141-157
- Trichodina venicola*, 269-270
- Trichodina* sp., 94-100
- Trichodiniasis  
control, 94-100
- Trichoptera, 152, 195, 207, 246-254  
*Oecetis inconspicua*, 249-250  
Phryganeidae, 254  
Polycentropidae, 250  
Sericostomatidae, 248, 250-253
- Tricorythodes allectus*, 250
- Trout  
black-spotted, 283  
hatchery production, 87  
brook, 162, 212-214, 220, 241  
angling statistics, 160  
effect of rotenone, 148-152  
hatchery production, 87  
introduction, 280  
brown, 176, 212-213, 220, 241  
introduction, 280  
bull, 241  
cutthroat, 162, 176, 241  
fishery, 216-224  
Dolly Varden, 241  
evaluation of culture, 85-89  
lake, 176-177, 241  
eggs eaten by suckers, 176-177  
growth, 77-81

- introduction, 280  
tagging, 63-84
- Loch Leven, 220, 241  
hatchery production, 87
- mackinaw, 220, 241
- rainbow, 176, 220, 241  
age and maturity, 190  
angling statistics, 160  
cost of fry, 190  
growth, 77-81  
hatchery production, 87, 191  
introduction, 280  
tagging, 63-84
- steelhead, 135, 137, 180, 241  
hatchery production, 87
- Tuna, 117
- Umpqua National Forest, 162**
- U. S. S. R.  
sealing convention, 40
- United States  
sealing convention, 40
- U. S. Bureau of Biological Survey, 49
- U. S. Bureau of Fisheries, 49  
fishery investigations, 30-33  
pollution control, 91  
striped bass recommendation, 35  
trout culture, 85-89
- U. S. Coast Guard  
pollution control, 91
- U. S. Customs  
pollution control, 91
- U. S. Department of Commerce  
Fishery Advisory Committee, 43
- U. S. Department of State, 39
- U. S. Public Health Service, 49
- U. S. War Department, 91
- Utilization  
fishery resources, 34-35
- Uvulifer ambloplitis*, 271
- Van Oosten, John, 44-48, 63-84**
- Variation, seasonal  
bottom organisms, 178-187
- Vegetation  
effect, copper sulfate, 145
- Vespidæ, 251
- Vice-presidents  
reports, 23-39
- Vorticella*, 170
- Waddell Creek, 178-187**
- Wales, Joseph H., (disc.) 99, 139
- Wall-eyed pike  
spawning, 167
- Water clover, 205
- Webster, B. O., (disc.) 167
- Webster, Dwight A., 205-209
- Weirs, 178, 237-238
- Westerman, Fred A., (disc.) 50
- Whitefish  
growth, 77-81  
introduction, 280  
tagging, 63-84
- Rocky Mountain, 176, 241
- Wholesaling  
criticism, 34-35
- Width, stream  
measurement, 232-233
- Winnemucca Lake, 216, 218
- Worms, parasitic  
*Azygia angusticauda*, 270  
*Bucephalus elegans*, 271  
*Centrovarium lobotes*, 271  
*Crassiphalia bulboglossa*, 271  
*Diplostomulum scheuringi*, 271  
*Heduris tiara*, 271  
*Leptorhynchoides thecatus*, 270-271  
*Macroderoides flavus*, 270-271  
*Microphallus orestus*, 271  
*Neascus*, 273-278  
*Neoechinorhynchus cylindricus*, 271  
*Neoechinorhynchus tenellus*, 271  
*Phyllodistomum superbum*, 271  
*Plagiocirrus primus*, 271  
*Pomphorhynchus bulbocollis*, 271  
*Proteocephalus ambloplitis*, 270  
*Proteocephalus pinguis*, 270  
*Pseudophyllidea*, 271  
*Spinictetus gracilis*, 271  
*Spiruridae*, 270  
*Tetraonchus monenteron*, 271  
*Uvulifer ambloplitis*, 271
- Yellowtail**  
statistics, 116-117
- Yuba River  
mining silt, 225-227
- Zygoptera, 152, 195**

